




|        |
|--------|
| 借通用件登记 |
| 描 图    |
| 校 描    |
| 旧底图总号  |
| F      |
| 签 字    |
| 日 期    |

|    |    |       |     |    |  |            |  |        |     |  |
|----|----|-------|-----|----|--|------------|--|--------|-----|--|
|    |    |       |     |    |  | DYM1688爆炸图 |  |        |     |  |
| 标记 | 处数 | 更改文件号 | 签字  | 日期 |  | 图样标记       |  | 重量     | 比例  |  |
| 设计 |    |       | 标准化 |    |  |            |  | 3912.5 | 1:1 |  |
| 审核 |    |       |     |    |  | 共 页        |  | 第 页    |     |  |
| 工艺 |    |       | 日期  |    |  |            |  |        |     |  |

## Listado de piezas DYM1688 aluminio

| Model: DYM1688 |                 |                                        |                                       |     |         |
|----------------|-----------------|----------------------------------------|---------------------------------------|-----|---------|
| No.            | P/N(old system) | P/N(new system)                        | Description(en)                       | Qty | Remarks |
| 1              | 2105300159A     | 2105300159A                            | blade tighten bolt                    | 1   |         |
| 2              | 26300107302     | 2105300001C                            | dishing washer                        | 1   |         |
| 3              | 2105200245A     | 2105200245A                            | friction blade support pressing board | 1   |         |
| 4              | 21052002622000A | 21052002622000A                        | blade                                 | 1   |         |
| 5              | 2105200251A     | 2105200251A                            | blade support                         | 1   |         |
| 6              | 26800307801     | A26800307801                           | screw                                 | 12  |         |
| 7              | 2103300124A     | 2103300124A                            | belt cover lower                      | 1   |         |
| 8              | 2103900034A     | 2103900034A                            | semi circle key                       | 1   |         |
| 9              | 3022305001      | 3022305001                             | screw                                 | 1   |         |
| 10             | 21031003390082A | 21031003390082A                        | driving belt wheel                    | 1   |         |
| 11             | 30913040085000  | 30913040085000                         | hex bolt                              | 2   |         |
| 12             | A26800613701    | 3091303003                             | hex bolt                              | 1   |         |
| 13             | A26800800202    | 3052301002                             | spring washer                         | 3   |         |
| 14             | A26800700701    | 3051303001                             | flat ring                             | 3   |         |
| 15             | 25256800101     | 21031000380001A                        | cushion                               | 1   |         |
| 16             | A26800500801    | 3031309002                             | hex locking nut                       | 6   |         |
| 17             | 26800500801     | <del>A26800202902-</del><br>3031309002 | tooth screw                           | 2   |         |
| 18             | 26300167501     | 2109200046A                            | wheel axis pressing board             | 4   |         |
| 19             | 21041000850006N | 21041000850006N                        | front cover handle                    | 1   |         |
| 20             | 26800202601     | A26800202601                           | cross pan self-driving screw          | 2   |         |
| 21             | 25389900101     | 21041000870001N                        | front cover                           | 1   |         |

|    |                 |                              |                            |    |  |
|----|-----------------|------------------------------|----------------------------|----|--|
| 22 | 26300211401     | 2249300011A                  | deck insert board          | 2  |  |
| 23 | 23600304601     | 21011001740006N              | Wheel cover - 1            | 2  |  |
| 24 | 30323060035000  | 30323060035000               | hex flange locking nut     | 5  |  |
| 25 | 26800401501     | A26800401501                 | Bearing 6001 z             | 8  |  |
| 26 | 21011006160001A | 21011006160001A              | wheel ass'y                | 2  |  |
| 27 | 2101500009A     | 2101500009A                  | front axle ass'y           | 1  |  |
| 28 | 25235310201     | 21021000223201N              | axle shaft sleeve          | 4  |  |
| 29 | 2102600018A     | 2102600018A                  | triangle belt              | 1  |  |
| 30 | 30913050015000  | 30913050015000               | tooth screw                | 5  |  |
| 31 | 25256900102     | 21041001960001B              | belt protecting cover      | 1  |  |
| 32 | 3052301003      | 3052301003                   | spring washer              | 2  |  |
| 33 | 26300167001     | 2102200028B                  | position fixing plate      | 1  |  |
| 34 | 21032002660001A | 21032002660001A              | mulching kit               | 1  |  |
| 35 | 26800705102     | A26800705102                 | flat washer                | 6  |  |
| 36 | 26900300203     | 2104400014E                  | right output gear ass'y    | 1  |  |
| 37 | 3082301003      | 3082301003                   | column pin                 | 2  |  |
| 38 | 21011006030120A | 21011006030120A              | rear axle sheath           | 2  |  |
| 39 | 3043301003      | 3043301003                   | open block ring            | 1  |  |
| 40 | 23050203502     | 2102300063B                  | gear box                   | 1  |  |
| 41 | 2102200059A     | 2102200059A                  | position fixing plate      | 1  |  |
| 42 | A26800611201    | 3091308001<br>30913050015000 | hex bolt                   | 2  |  |
| 43 | 2104400013E     | 2104400013E                  | left output gear ass'y     | 1  |  |
| 44 | 21061001490001B | 21061001490001B              | side-discharge cover board | 1  |  |
| 45 | A26800800402    | 3052301004                   | spring washer              | 10 |  |

|    |                 |                 |                                      |    |  |
|----|-----------------|-----------------|--------------------------------------|----|--|
| 46 | 2103200228A     | 2103200228A     | side-discharge fixing board          | 1  |  |
| 47 | 2109800210A     | 2109800210A     | side cover board spring              | 1  |  |
| 48 | 26200101901     | 2106200053N     | side-discharge position fixing shaft | 1  |  |
| 49 | 21034000020002A | 21034000020002A | deck                                 | 1  |  |
| 50 | 2109800259A     | 2109800259A     | connecting rod tension spring        | 1  |  |
| 51 | 2103200433A     | 2103200433A     | connection rod                       | 1  |  |
| 52 | 30313090035000  | 30313090035000  | hex locking nut                      | 6  |  |
| 53 | 25390100101     | 21041000860001N | front decoration board               | 1  |  |
| 54 | 25214300201     | 21031000230001D | blade washing connector              | 1  |  |
| 55 | 2103200254A     | 2103200254A     | locking block D                      | 1  |  |
| 56 | 2103300040A     | 2103300040A     | fixing shaft for locking block       | 1  |  |
| 57 | 30913070165000  | 30913070165000  | hex flange bolt                      | 4  |  |
| 58 | 2103800011A     | 2103800011A     | torsional spring for locking block   | 1  |  |
| 59 | 23600304701     | 21011001750006N | wheel cover - 1                      | 2  |  |
| 60 | 21011006170001A | 21011006170001A | wheel ass'y                          | 2  |  |
| 61 | 25229500101     | 2101100081B     | wheel gear ring                      | 2  |  |
| 62 | A26800100501    | 3011301010      | self-driving screw                   | 22 |  |
| 63 | 25208700105     | 21011003730001F | 11" dust proof wheel                 | 2  |  |
| 64 | 26800203001     | A26800203001A   | cross pan self-driving screw         | 2  |  |
| 65 | A26800303301    | 3021301002      | screw                                | 2  |  |
| 66 | 2106201214A     | 2106201214A     | handle ass'y                         | 1  |  |
| 67 | 25400106202     | 21061002883213A | height adjustment ass'y              | 1  |  |
| 68 | 2101300204A     | 2101300204A     | rear wheel ass'y                     | 1  |  |
| 69 | 23100113701     | 21061002854017A | height adjustment board              | 1  |  |
| 70 | 30323060015000  | 30323060015000  | all-metal hex flange locking nut     | 4  |  |

|    |                 |                 |                                 |    |  |
|----|-----------------|-----------------|---------------------------------|----|--|
| 71 | 25100119902     | 2106100003A     | tube plug                       | 2  |  |
| 72 | 25257000101     | 21031000390001A | rear grass block board          | 1  |  |
| 73 | 25231700101     | 21041001160001A | knob pressing board             | 1  |  |
| 74 | 26801100501     | 2109800022C     | spring                          | 1  |  |
| 75 | 21041001150182A | 21041001150182A | mulching kit button             | 1  |  |
| 76 | 25261100102A    | 21061000013201A | cable clamp                     | 2  |  |
| 77 | A26800600401    | 2109900041B     | flat head bolt                  | 2  |  |
| 78 | 23600118601     | 21062001650002B | left handle bracket             | 1  |  |
| 79 | 21061007073201A | 21061007073201A | curved washer                   | 2  |  |
| 80 | 21061000020182B | 21061000020182B | lower handle knob               | 2  |  |
| 81 | 30313060025000  | 30313060025000  | hex nut                         | 2  |  |
| 82 | 23600118701     | 21062001660002B | right handle bracket            | 1  |  |
| 83 | 26801125402     | 2109800117C     | left knob spring                | 1  |  |
| 84 | 2107300015A     | 2107300015A     | long rod                        | 1  |  |
| 85 | 26801125502     | 2109800118C     | right knob spring               | 1  |  |
| 86 | 21041006170001B | 21041006170001B | side-discharge protecting cover | 1  |  |
| 87 | 21093000635007A | 21093000635007A | column pin                      | 2  |  |
| 88 | 21061006500002A | 21061006500002A | locking handle                  | 2  |  |
| 89 | 26300111901     | 2109200025A     | pressing plate                  | 2  |  |
| 90 | 26300130101     | 2109300026A     | locking handle bolt             | 2  |  |
| 91 | A26800104902    | 2109300058A     | self-driving screw              | 12 |  |
| 92 | 25205400104     | 21061003843206D | upper adjustment gear           | 2  |  |
| 93 | 25205500104     | 21061003883201N | lower adjustment gear           | 2  |  |
| 94 | 2106800599B     | 2106800599B     | flameout cord ass'y             | 1  |  |
| 95 | 2106800752A     | 2106800752A     | driving cord ass'y              | 1  |  |

|     |                 |                 |                                     |   |  |
|-----|-----------------|-----------------|-------------------------------------|---|--|
| 96  | 26300295801     | 2107200065A     | grass catcher bracket               | 1 |  |
| 97  | 25100137811     | 21077000462028A | grass catcher                       | 1 |  |
| 98  | A26800103202    | 3011301005      | self-driving screw                  | 2 |  |
| 99  | 2100201514      | 2100201514      | rear board ass'y                    | 1 |  |
| 100 | 21071000720001A | 21071000720001A | grass catcher cover board           | 1 |  |
| 101 | 21071000730182N | 21071000730182N | grass catcher handle                | 1 |  |
| 102 | 21071000080002A | 21071000080002A | level indicator                     | 1 |  |
| 103 | A26800104601A   | 3011301004      | self-driving screw                  | 1 |  |
| 104 | 26800501603     | A26800501603A   | cap nut                             | 3 |  |
| 105 | A26800700801    | 3051303003      | flar washer                         | 3 |  |
| 106 | 21063000025007A | 21063000025007A | cable hook                          | 1 |  |
| 107 | A26800607701    | 3091307003      | hex bolt                            | 2 |  |
| 108 | 30913070135000  | 30913070135000  | hex bolt                            | 1 |  |
| 109 | 23600180401     | 21062001800001A | lower handle                        | 1 |  |
| 110 | 25233600102     | 21061000043201A | cord fixing board                   | 2 |  |
| 111 | 29100113101     | 2106800179A     | throttle handle ass'y               | 1 |  |
| 112 | 3022301003      | 3022301003      | screw                               | 2 |  |
| 113 | 21061004573201A | 21061004573201A | outside positioned support          | 2 |  |
| 114 | 21061004593201A | 21061004593201A | inside positioned support           | 2 |  |
| 115 | 25287600102     | 21061001803201B | self-propelled cord hanging block   | 4 |  |
| 116 | 23600153101     | 21062001990002A | flameout pole                       | 1 |  |
| 117 | 23600195101     | 21062004380001A | upper handle                        | 1 |  |
| 118 | 21061001153206A | 21061001153206A | cover board of pulling pole support | 2 |  |
| 119 | 2106600017A     | 2106600017A     | handle sheath                       | 1 |  |

|     |                 |                 |                                         |   |  |
|-----|-----------------|-----------------|-----------------------------------------|---|--|
| 120 | 23601018101     | 21062002080001A | driving pole                            | 1 |  |
| 121 | 60400114401     | 60400114401     | Engine (EUV)                            | 1 |  |
| 122 | 26300107801     | 2012200002A     | wrench                                  | 1 |  |
| 123 | 26300107901     | 2012100004A     | wrench pole                             | 1 |  |
| 124 | 25100135101     | 2109100013N     | O-ring                                  | 1 |  |
| 125 | 21092000295007B | 21092000295007B | flat washer                             | 2 |  |
| 126 | 3011303001      | 3011303001      | cross recessed pan head tapping locking | 8 |  |
| 127 | A26800900201    | 3043301001      | open block ring                         | 2 |  |
| 128 | 25287100101     | 21011001460001A | dustproof wheel cover                   | 2 |  |
| 129 | 21011004410001A | 21011004410001A | cushion block                           | 2 |  |